

PACKAGE NO.: 02

NAME OF THE BEEL:
PARAM BEEL

DEVELOPMENT BLOCK:

UJANI MAJULI

REVENUE VILLAGE:

DHOWACHALA

DISTRICT:

AREA (Ha):

MAJULI

DDA IECT TITI E.

PROJECT TITLE:
Sustainable Wetlands and Integrated
Fisheries Transformation (SWIFT) Project

9.2 Ha

CLIENT:



CONSULTANT:



DWG TITLE :

DEWEED LAYOUT OF PARAM BEEL


DATE:

CHECKED BY: SUBMITTED RECOMMENDED BY:

DATE: DATE: DATE: DATE:

TEAM LEAD A.E. E.E. S.E.

TYPICAL PLAN & SECTION OF REARING TANK



PLAN

LVL +87.00

LVL +87.00

LVL +87.00

SECTION

SCALE: NOT TO SCALE

PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project





CONSULTANT:





DWG TITLE


TYPICAL PLAN & SECTION OF REARING TANK OF 1500 SQM


DATE	:	ı
		ı

ECKED BY:	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
TE:	DATE:	DATE:	DATE :
EAM LEAD	A E	EE	SE









GENERAL NOTES -

Drawing Basis

- All dimensions are in millimetres (mm) unless otherwise stated.
- Dimensions shall be verified on site prior to construction; discrepancies to be reported to Engineer-in-Charge.

Concrete Works

- Footing: 550 × 550 × 150 RCC M20 (IS 456, IS 3370).
- Pedestal: 150 × 150 × 600 RCC above footing.
- Provide PCC 1:5:10, 100 mm thick blinding below footings (recommended).
- All reinforcement Fe-500D TMT; cover to reinforcement = 40 mm (footings/pedestals).

Steel Works

- Main posts: SHS 50 × 50 × 4 mm.
- Horizontal bracing: SHS 50 \times 50 \times 4 mm (at two intermediate levels).
- Diagonal bracing: SHS 30 × 30 × 4 mm.
- Platform joists: 5 nos. SHS 25 × 25 × 2.5 mm at equal spacing.
- Handrail: SHS 25 × 25 × 2.5 mm, 1.0 m high above deck.
- Ladder: 450 mm clear width, SHS 25 × 25 side members with MS flats as rungs at 300 mm c/c.
- All steel to conform to IS 2062; fabrication as per IS 800.

Connections & Base Plates

- Provide MS base plates (10 mm thick) at post bottoms, anchored into pedestal with 4 nos. 16 mm dia foundation bolts, grouted with non-shrink grout.
- Provide stiffener cleats, gusset plates, and welds as per design.
- All bolts/welds to conform to IS 1367/IS 816.

Corrosion Protection & Painting

- Structural steel to receive one coat zinc-rich primer + 2 coats epoxy/polyurethane paint (minimum 100 microns DFT).
- Alternatively, all steel members may be hot-dip galvanized (minimum 80 microns zinc coating).

Tank & Plumbing

 Water tank: 1,000 litres capacity, IS 12701 marked, provided with cover and locking arrangement.

PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project

CLIENT: ARIAS SOCIETY


CONSULTANT: SHUBH CONSULTANTS AND TECHNOCRATS LLP


DWG TITLE:


STANDARD DRAWING

1000L TANK WITH STAGING

DATE:			
CHECKED BY	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
TEAM LEAD	A.E.	E.E.	S.E.







PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project

CLIENT: ARIAS SOCIETY

CONSULTANT: SHUBH CONSULTANTS AND TECHNOCRATS LLP


DWG TITLE:

STANDARD DRAWING


INFORMATION BOARD


DATE:

CHECKED BY	: SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
TEAM LEAD	A.E.	E.E.	S.E.




BAMBOO PARTITION/SCREENING STRUCTURE AT BEEL/WETLAND FISHERIES. (FRONT-ELEVATION)






KATAL/CATTLE FISHING STRUCTURE AT BEEL/WETLAND FISHERIES. (FRONT-ELEVATION)



KATAL/CATTLE FISHING STRUCTURE AT BEEL/WETLAND FISHERIES. (SIDE-ELEVATION)



PEN CULTURE STRUCTURE AT BEEL/WETLAND FISHERIES. (FRONT-ELEVATION)

